

Message

---

**From:** [Nonresponsive based on revised scope]@erllc.com]  
**Sent:** 8/31/2020 1:59:37 PM  
**To:** McCauley, Joanna [McCauley.Joanna@epa.gov]; Wagner, Christine [Wagner.Christine@epa.gov]  
**CC:** [Nonresponsive based on revised scope]@erllc.com]  
**Subject:** FW: 3-S467 Shiloh Church Road 1900-55 8-26-2020 for Review  
**Attachments:** ATT00001.txt; 3-S467 Shiloh Church Road 1900-55 8-26-2020.pdf

Hello Joanna and Chris, following up on the attached for approval signature.

We appreciate it  
Thank you again

Nonresponsive based on revised scope



---


**From:** [Nonresponsive based on revised scope]  
**Sent:** Friday, August 28, 2020 9:52 AM  
**To:** 'mccauley.joanna@epa.gov' <mccauley.joanna@epa.gov>; 'wagner.christine@epa.gov' <wagner.christine@epa.gov>  
**Cc:** [Nonresponsive based on revised scope]@erllc.com>  
**Subject:** 3-S467 Shiloh Church Road 1900-55 8-26-2020 for Review

Good Morning Joanna and Chris, please see the attached.

Thank you for your patience with us. Please let me know if you find any other adjustments that I've missed.

We appreciate it  
Thank you for your time.

Nonresponsive based on revised scope



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.